

# Miniature Thrust Ball Bearing

Part No.: **F8-16**

Size: **8 x 16 x 5 mm**



**Flat Washer**  
**(No Raceway in Washer)**

## BASIC INFORMATION

For Shaft Diameter: 8 mm  
Bore Dia (d): 8 mm  
Bore Dia Tolerance: -0.008 mm to 0

For Housing ID: 16 mm  
Outer Dia (D): 16 mm  
Outer Dia Tolerance: -0.008 mm to 0

Height (B): 5 mm  
Height Tolerance: -0.12 mm to 0

Washer: chrome steel SAE52100

Cage:  Steel  Bronze

Ball: chrome steel SAE52100

Ball Size: 3.000 mm

Ball Qty: 9 pieces

Dynamic Load Rating (Cr) (Newtons): 2500

Static Load Rating (Cor) (Newtons): 3000

Max Speed (Grease) (X1000 RPM): 4


Max Speed (Oil) (X1000 RPM): 8

Lubrication: Required

Working Temperature: -30° to 110 °C

Weight (grams): 5.00

RoHS: Compliant



**Flat Washer**  
**(No Raceway in Washer)**

This bearing print is for technical reference  
and is displaying on [www.clibearings.com](http://www.clibearings.com) ONLY!

<b>PART NO.</b>	<b>F8-16</b> Miniature Thrust Ball Bearing
-----------------	-----------------------------------------------

<b>PART SIZE</b>
------------------

<b>Metric</b> 8 x 16 x 5 mm
--------------------------------

CLI BEARINGS CO., LTD.

[www.clibearings.com](http://www.clibearings.com)  
[sales@clibearings.com](mailto:sales@clibearings.com)



© 2020 • All Rights Reserved • CLI BEARINGS®